

CLAIM (S):

I claim:

1. A mountaineer's cot comprised of the following elements:

at least two cot legs; and

a cot cloth;

wherein said elements allow for the interconnection of tools already carried by

the backpacker and mountaineer and used for other purposes to form a

lightweight cot.
2. The mountaineer's cot of claim 1 wherein the number of legs is six.
3. The mountaineer's cot of claim 2 wherein said cot cloth has the dimensions of 2

feet by 6 feet.
4. A lightweight mountaineer's cot comprised of :

at least 4 legs;

a cot cloth;

a cot frame adapted for field assembly from a combination of mountaineering

tools.
5. The mountaineer's cot of claim 4 wherein said mountaineering tools are selected

from the set of mountaineering tools consisting of an ice ax, telescoping ski poles

and internal frame pack mainstays.

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims

Claim 1 (cancelled)

CLAIM (S):

I Claim:

A lightweight backpackers/mountaineers cot comprising a cot nylon fabric with siderail sleeves six cot legs; the two center legs being constructed to receive an ice ax as the center stay and four end legs constructed to receive the trekking poles as end stays of the cot. The siderails telescoping in nature are adapted from the internal frame backpack stays.

The siderails adjusted in length after removal from the internal frame backpack slid into the sidesleeves of the cot fabric. The siderails then are locked into the cot legs at the designated siderail receiver holes. The trekking poles are then adjusted from the trekking position length to the length that is appropriate for the end stays of the cot. The trekking poles are then fitted to the point of cot function. The ice ax is then fitted to the center legs and tightened to the proper tension and locked into place with the center leg ice ax shaft tightening screw. The six legs are specific for the reception of the particular end and center stay. There are two end legs that are designed to receive the point of the trekking pole and two legs designed to receive the handle of the trekking poles. There is one center leg designed to receive the point of the ice ax and one center leg designed to receive the shaft of the ice ax. The center legs are also designed with a

swivel bolt attached to the siderail receiver that allows the inclination of the cot to be adjusted by the user from lying to sitting position. In addition, there is an ice ax extender that allows the user to extend the length of their ice ax to the appropriate size in order to properly fit the cot for use. The ice ax extender has a locking screw that will lock the extender to the ice ax for cot use.

Claim 2 (New): A mountaineer's cot comprised of the following elements:
at least two cot legs; and
a cot cloth;
wherein said elements allow for the interconnection of tools already carried by the backpacker and mountaineer and used for other purposes to form a lightweight cot.

Claim 3 (New): The mountaineer's cot of claim 1 wherein the number of legs is six..

Claim 4 (New): The mountaineer's cot of claim 2 wherein said cloth has the dimensions of 2 feet by 6 feet.

Claim 5 (New): A lightweight mountaineer's cot comprised of:
at least 4 legs;
a cot cloth;
a cot frame adapted for field assembly from a combination of mountaineering tools

Claim 6 (New): The mountaineer's cot of claim 4 wherein said mountaineering tools are selected from the set of mountaineering tools consisting of an ice ax, telescoping ski poles and internal frame pack mainstays.